

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/523,535	02/02/2005	Yasuhiro Saito	YAN-39	7548
20311	7590 06/07/2006		EXAMINER	
LUCAS & MERCANTI, LLP 475 PARK AVENUE SOUTH			CINTINS, IVARS C	
473 PARK A 15TH FLOO			ART UNIT	PAPER NUMBER
NEW YORK	, NY 10016		1724	
			DATE MAILED: 06/07/2006	S

Please find below and/or attached an Office communication concerning this application or proceeding.

			حسو،			
	Application No.	Applicant(s)	V			
	10/523,535	SAITO, YASUHIRO				
Office Action Summary	Examiner	Art Unit				
	Ivars C. Cintins	1724				
The MAILING DATE of this communication Period for Reply	on appears on the cover sl	eet with the correspondence address	•			
A SHORTENED STATUTORY PERIOD FOR F WHICHEVER IS LONGER, FROM THE MAILIN - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicati - If NO period for reply is specified above, the maximum statutory - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	NG DATE OF THIS COM CFR 1.136(a). In no event, however on. period will apply and will expire SIX statute, cause the application to be	MUNICATION. may a reply be timely filed (6) MONTHS from the mailing date of this communicated materials. (5) MONTHS from the Mailing date of this communicated materials.				
Status		•				
1) Responsive to communication(s) filed on	08 May 2006.					
2a) This action is FINAL . 2b)	. · · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for al	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice un	nder <i>Ex par</i> te Quayle, 193	5 C.D. 11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-4 and 6</u> is/are pending in the a	application.	•				
4a) Of the above claim(s) is/are with		n.				
5)⊠ Claim(s) <u>1-4 and 6</u> is/are allowed.						
6)☐ Claim(s) is/are rejected.		·				
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction a	and/or election requireme	nt.				
Application Papers	·					
9)☐ The specification is objected to by the Exa	aminer.					
10)☐ The drawing(s) filed on is/are: a)☐	accepted or b) dbject	ed to by the Examiner.				
Applicant may not request that any objection t	to the drawing(s) be held in	beyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the c	•		• •			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fo a) All b) Some * c) None of:	reign priority under 35 U.	S.C. § 119(a)-(d) or (f).				
 Certified copies of the priority docu 	ments have been receive	d.				
2. Certified copies of the priority docu						
3. Copies of the certified copies of the		· ·	·			
application from the International B	• • • • • • • • • • • • • • • • • • • •					
* See the attached detailed Office action for	a list of the certified copie	s not received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) 🔲 Inte	rview Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-94	Par	er No(s)/Mail Date				
Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date	6) Oth	ce of Informal Patent Application (PTO-152) er:	,			

Application/Control Number: 10/523,535

Art Unit: 1724

Claims 1-4 and 6 are <u>allowed</u>. Accordingly, this application is in condition for allowance except for the following formal matters:

- (1) The use of the term "filter bed," throughout the specification (e.g. page 7, line 25; page 8, lines 5-13, 27 and 32-33; page 9, lines 5, 14 and 22; page 10, lines 1-3, 8, 12-14, 18, 21-23 and 31; etc.) to define filtration media support members is deemed to be misdescriptive.
- (2) The term "filtration media support member" to describe structural elements 4 and 50 lacks proper antecedent basis in the specification, particularly since the only use of the term "support member" for filtration media refers to the second filtration media 54 (see page 17, lines 4-6 of the specification).

Appropriate correction is required.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to I. Cintins whose telephone number is 571-272-1155.

The examiner can normally be reached on Monday through Friday from 8:30 AM to 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Duane Smith, can be reached at 571-272-1166.

The centralized facsimile number for the USPTO is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ivars C. Cintins
Primary Examiner
Art Unit 1724

I. Cintins June 5, 2006